

INOVIT[®]

REPRESENTS THE LATESTS TRENDS WITH OUR 2 UNIQUE RANGES

INOVIT®



15
YEARS
OF
INNOVATION

INOVIT – we pride ourselves on our skills in innovation, striving to keep one step ahead of our competition with designs and technology right at the forefront of the industry.

We are celebrating our 15th year this year and we have decided to ‘innovate’ our image with our brand new logo. 15 years ago, we started from a home office in a small flat. As a trading company, we bought and sold wheels and tires from suppliers who are now our competitors! In 15 years we have grown vastly and we are still growing!

Today see’s our state of the art office facilities across all of our worldwide branches and we have opened our newest warehouse and INOVIT operation in Mumbai, India. This brings the total of INOVIT operations worldwide to 7 with the 8th already in the pipeline! We have Inovit International in England, Inovit BV in the Netherlands, Inovit Shanghai in China, Inovit Inc in California USA, Inovit SRL in Italy, Inovit PTY in Australia and now Inovit Neo in India. Not only satisfied with opening new branches, we are doubling the size of some of our existing operations at Inovit INC in the USA and Inovit BV in the Netherlands, such is the demand for our products and services.

In addition to the branches worldwide, in 2009 we started our brand new state of the art foundry in Anhui province, China with 1.2 million wheels per year as capacity and the most recent Foundry is set up in Mumbai in India in 2013, this is coupled with partnerships with many other suppliers including in Thailand and Malaysia. Not many companies can achieve what we have in this short space of time – from where we started to where we are now and we STILL have our founding members in our company, proving how passionate we still are about our business!

Every INOVIT wheel uses the very latest heat treatment technologies to ensure the utmost strength and rigidity combined with optimum weight. Each of our designs in all of our ranges is designed with passion and manufactured to the very highest standards. Using breakthrough technologies like back-milling and side-milling to remove weight without compromising strength and adding an improved design element proves we know what we are doing! We offer an eclectic range of designs to suit everything from an Audi to a Zonda, in monoblock AND multi-piece styles. INOVIT is one of the few companies in the industry to keep bringing original concepts and designs to the market.

OUR HISTORY

INOVITE[®]

The Start

The business was started being a sole trader in the Northern part of the Netherlands, known as Friesland. Operating from a home office and very small warehouse, sourcing suppliers for both wheels and tyres to sell on to customer networks across Northern Europe and into the UK. Such was the tenacity and passion for business the demand very quickly grew for the products and service provided and it became evident that expanding the business was going to be a necessary next step. With a growing customer base and great reputation, it was time to source a much bigger warehouse and take on some extra staff to cope with demand.



1998
January 13

The First Warehouse in The Netherlands

With sales doubling each year after starting the business, thanks to a very large demand for products in the UK in particular and support from a major Italian supplier, the business' first warehouse was procured. A capacity for over 4,000 wheels to be stocked and a bespoke order picking system was installed to ensure the service remained efficient as the demand increased - the new warehouse helped show us exactly how big the business could grow in such a short space of time. Not one to stand still and be happy, we decided we needed to have something of our own to offer the industry.



2000
January

INOVIT brand is created and launched in UK

Because business was going so well, and demand very high in the UK, the decision was taken to secure a warehouse in the UK to satisfy the UK market and exceed the existing expectations by supplying quicker and faster. We chose Coventry due to its location in the Heart of England next to all of the major motorway networks, it is the perfect location. INOVIT International Limited was the registered company name and our very own aftermarket alloy wheel brand 'INOVIT' was launched amid high expectations from the industry. Using the experience and the existing formula of supplying wheels and tyres to the trade, we had the perfect base from which to launch the brand successfully.



2003
November

INOVIT China is set up

China is the big word on peoples lips now, their economy is booming from the massive industry in the country, and with that, there is more \$ to spend for people on what they love, and cars are something that the Chinese love. The market for INOVIT products was growing and within the first 2 months, the sales were on a level with the European operations. With a native speaking sales team on board and a brand that consumers want, the business is sure to be a massive success here and may open the door to the vast South-East Asian market for our INOVIT products. Watch this space!



2006
November

INOVIT Inc is set up in California - USA

The 3rd INOVIT installment came about after spending some time at trade shows in the US and seeing a gap in the market for our products. With 10yrs hard work implementing and growing the brand in Europe and Asia, it was time to bring it to the states! The USA is the biggest single market for alloy wheels in the world, and with great products like ours, we know that we will succeed where many have failed. We secured a warehouse with capacity for over 10,000 wheels in the Santa Fe Springs area of CA where many great names from the industry are based and also managed to hire a very experienced team member from the industry, with previous work experience for a world famous alloy wheel company. The future here in the USA is very bright.



2008
August

INOVIT Factory is Planned

A BRAND NEW FACTORY is planned. The decision was taken to undertake the project of building our very own factory, and in February 2009 the first construction work began. It will be named INOVIT Anhui. By September 2009, the factory buildings are completed and work begins on the interior fittings for the staff quarters, office buildings and of course the factory operation buildings themselves. In August 2010, the internal components are completed at the new factory. The manufacturing machinery is installed, the new office block is constructed, and the underground parking lot is finished.



2009
February 18

Ciao INOVIT

The fifth INOVIT is established in Northern Italy, further establishing the Inovit Brands' recognition and desire from the alloy wheel world and its subjects. Set in this beautiful and picturesque part of the world, the location gives access to all of Southern and Eastern Europe as well as Italy itself. With an experienced team on board and an already vast customer base in this part of the world thanks to our other branches in Northern Europe and the UK, the fifth and newest member of the group is already looking at the horizon in terms of its ambitions for European domination. Nestled in and amongst some of the most famous brands for alloy wheels the world has ever known, INOVIT is holding its head up high and is maintaining its desire to become market leader for the alloy wheel industry.



2010
July

INOVIT Anhui – Production Begins

The first wheels roll off the production line and officially the factory is operational. It took less than 3 years from first pencil design by the architect to the first alloy wheels off the production line. We named it proudly after our business and called it INOVIT Anhui.



2011
November 18

Introducing INOVIT in Australia

We are proud to announce that the sixth INOVIT branch was opened in June 2012 - INOVIT PTY in Melbourne Australia is the latest venture for INOVIT, taking our worldwide renowned products to the Australian market. In the global economic downturn INOVIT is still growing as a company and continuing to make profit proves that our formula is working and our products are desirable all over the globe.



2012
June

INOVIT NEO Joint Venture

In April 2013, Inovit announces a joint partnership with Neo Wheels - the premier manufacturer of aluminum alloy wheels in India. Together, we are opening a new foundry in Bombay, India. As a result of this partnership, Inovit will continue its rapid expansion worldwide to meet the demand of an ever changing and evolving alloy wheel market and being able to serve both the local market in India and other markets globally as required. With over 50yrs combined experience in the industry, we are confident that we can make our global footprint much larger and substantially more well defined with this venture.



2013
April

INOVIT

POWERED BY INNOVATION

INOVIT is our mainstream markets range with aggressive but functional designs, huge brake clearance and lightest weight possible. The end result: better looks and better handling and performance thanks to a reduction in unsprung weight. INOVIT offers monoblock designs in sizes ranging from 15inch to 20inch with various staggered fitments available for those big power rear wheel drive vehicles.

Whilst the design is at the very core of what INOVIT does, our aim is to provide this technical excellence combined with great value for money so EVERYONE can enjoy our products.



SONIC



Inspired by the world renowned INOVIT Prestige Vortex, we created INOVIT Sonic. The Sonic takes the ever popular cross-spoke design to the next level, all the spokes finish right at the edge. INOVIT's engineers used the latest CAD technology to create the thinnest possible spoke with lightest possible weight and we also have a staggered set up for your requirements. With performance and status in mind, the Sonic boasts ultra-brake cooling and caliper clearances. Available for most 5 stud vehicle applications this is 'the must have accessory' for your pride and joy.




Satin Black



Hyper Silver

SIZE: 18x8.0 / 18x9.0 / 18x10.0 / 19x8.5 / 19x9.5 / 20x8.5 / 20x10.0
PCD: 100-120 / 100-120 / 108-120 / 100-120 / 100-120 / 112-130 / 112-130
OFFSET: 20-45 / 20-45 / 0-20 / 20-45 / 20-35 / 20-45 / 20-40
HOLE: 5H




BMW M6 Convertible - INOVIT Sonic Hyper Silver - F: 20 x 8.5J / R: 20 x 10.0J



Volkswagen Scirocco - INOVIT Sonic Satin Black - F: 20 x 8.5J / R: 20 x 10.0J



HASTE



The Haste wheel is the epitome of Euro-Cool. 10 elegant cross-spokes sit deep in a stunning, dished stainless-steel rim. By using the latest CNC technology; it gives a split-rim effect. In the meantime, it gives us the biggest freedom to create deepest possible lip without compromising the caliper clearances. Haste is available staggered in 18 to 20 inch, with Hyper Silver and Gloss Black finish to suite your taste.




Gloss Black INOX Lip



Hyper Silver INOX Lip

SIZE: 18x8.0 / 18x9.0 / 19x8.5 / 19x9.5 / 20x8.5 / 20x10.0
PCD: 100-120 / 100-120 / 100-120 / 100-120 / 108-130 / 108-130
OFFSET: 20-45 / 20-45 / 20-45 / 20-35 / 20-45 / 20-40
HOLE: 5H



BMW M3 Coupe – INOVIT Haste Hyper Silver / Stainless Steel Lip – F: 20 x 8.5J / R: 20 x 10.0J



Mercedes-Benz C63 AMG Black Series - INOVIT Haste Gloss Black / Stainless Steel Lip – F: 20 x 8.5J / R: 20 x 10.0J



FORCE 4



With the INOVIT Force 4, we successfully achieved making the lightest weight design in the whole INOVIT range, Force 4 is a single drilled 12 spoke design that is more than just a classic multi-spoke design. The level of creativity required to make such a light wheel but keep the fantastic looks takes real skill and we achieved it. From 15" to 17" sizes available we can ensure that whichever car you drive, you will look better than the rest!




Gloss Black Diamond Cut Surface



Hyper Silver

SIZE: 15x6.5 / 16x7.0 / 17x7.0
PCD: 98-114.3 / 98-114.3 / 98-114.3
OFFSET: 20-42 / 20-42 / 20-42
HOLE: 4H



Fiat 500 Abarth - INOVIT Force 4 Gloss Black Diamond Cut Surface -17x 7.0J Front and Rear



Mini Cooper S - INOVIT Force 4 Hyper Silver -17x 7.0J Front and Rear



FORCE 5



The INOVIT Force 5 uses the same creativity used to design the Force 4 but with 5 holes and 15 spokes instead resulting in the same light weight and showing off its fantastic looks. With the Force 5 we have sizes ranging from 15" right the way up to 20" with staggered set-ups available from 18" upwards which showcases the adaptability of this timely, classic design. The deeper concave on the rear is substantial and its fair to say looks absolutely amazing when fitted. When you drive a vehicle with INOVIT Force 5 fitted and huge output power, all you need is imagination!



Gloss Black Diamond Cut Surface




Hyper Silver

SIZE: 15 x 6.5 / 16 x 7.0 / 17 x 7.5 / 18 x 8.0 / 18 x 9.0 / 19 x 8.5 / 19 x 9.5 / 20 x 8.5 / 20 x 10.0

PCD: 98-114.3 / 98-114.3 / 100-114.3 / 100-120 / 100-120 / 100-120 / 100-120 / 108-130 / 108-130

OFFSET: 20-42 / 20-42 / 20-42 / 20-45 / 20-42 / 30-45 / 30-42 / 30-45 / 30-42

HOLE: 5H




Mercedes-Benz SL65 AMG – INOVIT Force 5 Gloss Black / Diamond Cut Surface – F: 20 x 8.5J / R: 20 x 10.0J



BMW M3 Coupe – INOVIT Force 5 Hyper Silver – F: 20 x 8.5J / R: 20 x 10.0J



SPEEDY



The INOVIT Speedy is a simple 5-twin spoke design. We have 4 words to describe the new Speedy wheel - Technological Excellence and Uncompromised Performance. Incorporating a small Stainless Steel Lip on the Matt Silver version and a concave design for the rear, this technology can only be handled by a few manufacturers and helps to give the design a unique and stunning design form. Available 5-Stud and in Matt Silver/SSL and Satin Black with a concaved design for the rear wheels it makes it the ultimate tuner wheel. This wheel represents a twist on past, worldwide successful designs and after receiving a 21st century make-over, will be destined to be a future classic design, of this we are certain!




Matt Silver / SSL



Satin Black

SIZE: 19 x 8.5 / 19 x 9.5 / 20 x 8.5 / 20 x 10.0
PCD: 108-120 / 108-120 / 112-130 / 112-130
OFFSET: 20-42 / 20-38 / 20-45 / 20-35
HOLE: 5H



Mercedes-Benz SLS AMG – INOVIT Speedy Matt Silver / SSL – F: 20 x 8.5J / R: 20 x 10.0J



Infinity G35 Coupe - INOVIT Speedy Satin Black – F: 20 x 8.5J / R: 20 x 10.0J



THRUST



Thrust is a sleek design with motorsport heritage in mind, boasting excellent brake caliper clearance, ultra efficient brake cooling and breathtaking looks, incorporating 7 twin spokes accentuated by the embossed name and INOVIT brand name around the centre bowl. This is a true performance wheel for true performance tuner vehicles. Staggered width fitments are available in both finishes and the amount of rear concave on this design defies belief and demonstrates our designers' experience and excellence.




Satin Black



Hyper Silver

SIZE: 18x8.0 / 18x9.0
PCD: 100-120 / 100-120
OFFSET: 20-45 / 20-42
HOLE: 5H



Toyota GT86 - INOVIT Thrust Hyper Silver - F: 18 x 8.0J / R: 18 x 9.0J



Audi TT – INOVIT Thrust Satin Black – F: 18 x 8.0J / R: 18 x 9.0J



DESIGNED TO PERFECTION

From day one to present day, INOVIT keeps innovation as the spirit of the brand. For more than 15 years, we designed this range with our passion of cars and wheels in mind. All of the four original styles is specifically designed for the market that demands respect and each Prestige style incorporates our trademark teardrop design into it.

All of the INOVIT Prestige models are designed in house by our leading designers and manufactured to the highest possible standards. With the expansion of the range in 2009, INOVIT Prestige designs are now available in fitments from a Mazda to a Maserati or a Fiat to a Ferrari plus virtually every vehicle in between. Prestige is guaranteed to ensure your pride and joy stands out from the rest, whether it is at the local cruise, the corporate car park or the Burj Khalifa parking lot in Dubai, respect is all part of the package.

'Good' is ok for the opposition but only perfection is enough for us! INOVIT Prestige – Designed to Perfection.



REVOLVE



INOVIT Prestige welcomes its newest design to date into the market, and what a fantastic looking wheel! Finesse, simplicity combined with an attention to detail not seen on 1pc design before make this a wheel that will suit your luxury ride whether it be a 7 series, S class, Continental GT, Range Rover, Cayenne – you name it, this wheel will be the finishing touch! The concave on the rear conforms to the trends of today and we are proud to bring this new wheel into the INOVIT Prestige range.




Hyper Silver Diamond Cut Surface



Gloss Black Diamond Cut Surface

SIZE: 19x8.5 / 19x10.0 / 20x8.5 / 20x10.0 / 22x9.0 / 22x10.5
PCD: 108-120 / 108-120 / 112-130 / 112-130 / 112-130 / 112-130
OFFSET: 20-45 / 25-40 / 20-45 / 20-35 / 25-45 / 25-40
HOLE: 5H



Nissan GTR - INOVIT Prestige Revolve Hyper Silver / Diamond Cut Surface – F: 20 x 8.5J / R: 20 x 10.0J



Range Rover – INOVIT Prestige Revolve Gloss Black / Diamond Cut Surface – F: 22 x 9.0J / R: 22 x 10.5J





Our first venture into the 2pc market, the INOVIT Prestige Velocity incorporates the trademark teardrop accents on the most aggressive but beautiful design imaginable. The spoke edges look as if they are incorporated into the lip of the wheel; such is the design perfection on this high end product. The rear also has a massive concave look that connoisseurs look for. The best thing is that you can fit Velocity 2-piece on almost every vehicle, especially those high-performance sports cars and supercars and it gives the exact aggressive look that you desire.

VELOCITY- 2PC



*Matt Gunmetal Face
Gloss Black Barrel*




*Gloss Black Face with
Machined Barrel*



*Diamond Cut Surface
Gloss Black Barrel*

SIZE: 20 x 8.5 / 20 x 10.0 / 20 x 11.0 / 22 x 9.0 / 22 x 10.5 / 22 x 12.0
PCD: 108-130 / 112-130 / 108-130 / 108-130 / 112-130 / 108-130
OFFSET: 20-45 / 20-35 / 20-48 / 20-47 / 20-45 / 20-48
HOLE: 5H



Porsche Panamera Turbo – INOVIT Prestige Velocity 2pc Gloss Black Face with Machined Barrel – F: 20 x 8.5J / R: 20 x 11.0J



Mercedes-Benz CLS AMG – INOVIT Prestige Velocity 2pc Diamond Cut Surface / Gloss Black Barrel – F: 20 x 8.5J / R: 20 x 10.0J




SPIN

"The one that started it all"



Gloss Black Diamond Cut Surface

SIZE: 18x8.0 / 20x9.0 / 20x10.5 / 22x9.5 / 22x11.0
PCD: 100-120 / 112-130 / 112-130 / 112-130 / 112-130
OFFSET: 20-45 / 20-45 / 20-40 / 20-45 / 20-35
HOLE: 5H



The INOVIT Prestige Spin, the first ever design of the INOVIT Prestige Range, and the wheel that launched INOVIT into becoming a household name right at the beginning. The main reason behind this success was the 'Black/Machined Face look'. We set the trend in the UK market that soon followed into Europe and now almost every single brand in the industry has this element at its core! The INOVIT Prestige Spin's 5 sleek flowing spokes are finished off with the INOVIT Prestige teardrop design and provides optimum strength and massive appearance. Available from 18 inch up to 22 inch sizes in a wide variety of fitments.

Ford Mustang GT Chicane Edition – INOVIT Prestige Spin Gloss Black / Diamond Cut Surface – F: 20 x 9.0J / R: 20 x 10.5J



BMW X6 – INOVIT Prestige Spin Gloss Black / Diamond Cut Surface – F: 22 x 9.5J / R: 22 x 11.0J



VORTEX




The INOVIT Prestige Vortex incorporates the trademark teardrop accent to each of its 10 slender split spokes with INOVIT Prestige and Vortex lettering embossed around the centre. Phenomenal strength and massive caliper clearance together with ultra-lightweight have been achieved for the INOVIT Prestige Vortex at the same time, thanks to unrivalled design and state-of-the-art manufacture processes. This design was a success before it was even launched; it is quite possibly one of the greatest designs ever to grace the alloy wheel industry.



Gloss Black Diamond Cut Surface

SIZE: 19x8.5 / 19x9.5 / 19x11.0 / 20x8.5 / 20x10.0 / 20x11.0
PCD: 100-130 / 100-130 / 115-130 / 108-130 / 108-130 / 108-130
OFFSET: 20-45 / 20-45 / 20-60 / 20-47 / 20-45 / 20-67
HOLE: 5H



Hyundai Genesis Coupe – INOVIT Prestige Vortex Gloss Black / Diamond Cut Surface – F: 20 x 8.5J / R: 20 x 10.0J



Porsche 911 Carrera S – INOVIT Prestige Vortex Gloss Black / Diamond Cut Surface – F: 20 x 8.5J / R: 20 x 11.0J





Finally, a 5 spoke design to grab the market by the scruff of its neck and make it stand up and take notice! The second 2pc design epitomizes 5-spoke designs from years gone by, and by using some clever innovation; this wheel pulls off a timeless and classy show in both looks and design. With its spokes stretching out to the far limits of the wheel and finishing flush with the lip to give a 'Big Wheel' look, this design will suit every vehicle you fit it to. Available with a deep concave feature for the rear fitment, this design is guaranteed to impress.

ROTOR-2PC



*Matt Gunmetal Face
Gloss Black Barrel*




*Gloss Black Face with
Machined Barrel*



*Diamond Cut Surface
Gloss Black Barrel*

SIZE: 20 x 8.5 / 20 x 10.0 / 20 x 11.0 / 22 x 9.0 / 22 x 10.0 / 22 x 11.0
PCD: 108-130 / 108-130 / 108-130 / 108-130 / 108-130 / 108-130
OFFSET: 20-45 / 20-35 / 20-48 / 20-47 / 20-45 / 20-58
HOLE: 5H



Porsche Boxster S – INOVIT Prestige Rotor 2pc Matt Gunmetal Face / Gloss Black Barrel – F: 20 x 8.5J / R: 20 x 10.0J









Jaguar F-Type S - INOVIT Prestige Rotor 2pc Gloss Black Face with Machined Barrel - F: 20 x 8.5J / R: 20 x 10.0J



SPEC SHEET








Model Name		Size	4 x 100	4 x 108	4 x 114.3	5 x 100	5 x 105	5 x 108	5 x 110	5 x 112	5 x 114.3	5 x 115	5 x 120	5 x 130
Force 4		15 x 6.5	38	18 / 38	38									
		16 x 7.0	40	18 / 40	40									
		17 x 7.0	40	18 / 40	40									
Force 5		15 x 6.5				35 / 45		45			42			
		16 x 7.0				35 / 45	35	45		35 / 45	42			
		17 x 7.5				35 / 45	35	45		35 / 45	42			
		18 x 8.0				35 / 45	35	45		35 / 45	35 / 42		20 / 37	
		18 x 9.0				35 / 45	35	45		35 / 45	35		20 / 33	
		19 x 8.5				35 / 45	35	45		35 / 45	42	20 / 45	20 / 37	
		19 x 9.5				35 / 45	35	45		35 / 45	42	20 / 45	20 / 33	
		20 x 8.5				35 / 45		45		35 / 45	42	20 / 45	20 / 37	
		20 x 10.0				35 / 45		45		35 / 45	42	20	20 / 33	
Thrust		18 x 8.0				35 / 45	35	45		35 / 45	35 / 42	40	20 / 37	
		18 x 9.0					35			35 / 45	35	40	20 / 33	
Speedy		19 x 8.5				35 / 45	35	45		35 / 45	35 / 42	40	20 / 37	
		19 x 9.5					35			35 / 45	35	40	20 / 33	
		20 x 8.5				35 / 45	35	45		35 / 45	35 / 42	40	20 / 37	
		20 x 10.0					35			35 / 45	35	40	20 / 33	
Sonic		18 x 8.0				35 / 45	35	45		35 / 45	35 / 42	40	20 / 37	
		18 x 9.0					35			35 / 45	35	40	20 / 33	
		18 x 10.0					35			35 / 45	35	40	20 / 33	
		19 x 9.5				35				35 / 45	35	40	20 / 37	
		19 x 9.5								35 / 45	35	40	20 / 33	
		20 x 8.5								35 / 45	35	40	20 / 33	
		20 x 10.0								35 / 45	35	40	20 / 37	
Haste		18 x 8.0				35	35	45		35 / 45	35 / 42	40	20 / 33	
		18 x 9.0				38	38	45		35 / 45	35	40	20 / 33	
		19 x 8.5								35 / 45	35	40	20 / 37	
		19 x 9.5								35 / 45	35	40	20 / 33	
		20 x 8.5								35 / 45	35	40	20 / 33	
		20 x 10.0								35 / 45	35	40	20 / 33	

*The specs above are correct and fully up to date at the time of printing. INOVIT reserves the right to alter these specs at any time.

SPEC SHEET



Model Name		Size	4 x 100	4 x 108	4 x 114.3	5 x 100	5 x 105	5 x 108	5 x 110	5 x 112	5 x 114.3	5 x 115	5 x 120	5 x 130
Vortex		19 x 8.5				35				35 / 45	35	40	20 / 37	45
		19 x 9.5								35 / 45	35	40	20 / 33	45
		19 x 11.0										20		60
		20 x 8.5						47		35 / 45	35	20 / 45	20/37	45
		20 x 10.0								35 / 45	35	20		45
		20 x 11.0						67				20		60
		22 x 9.5								35 / 45	35	20	40	40
		22 x 10.5								35 / 45	35	20	30	45
Rotor 2pcs		20 x 8.5						47		35 / 45	35	20	20 / 37	45
		20 x 10.0								35 / 45	35	20	20 / 33	35
		20 x 11.0						67		35 / 45		20		60
		22 x 9.0						47		35 / 45	35	20	20 / 37	45
		22 x 10.0								35 / 45	35	20	20 / 33	35
		22 x 11.0						67		35 / 45		20		60
Velocity 2pcs		20 x 8.5						47		35 / 45	35	20	20 / 37	45
		20 x 10.0								35 / 45	35	20	20 / 33	35
		20 x 11.0						67		35 / 45		20		60
		22 x 9.0						47		35 / 45	35	20	20 / 37	45
		22 x 10.0								35 / 45	35	20	20 / 33	35
		22 x 11.0						67		35 / 45		20		60
Spin		18 x 8.0				35	35	45		35 / 45	45	40	20 / 37	
		20 x 9.0						45		35 / 45	45	20	20 / 37	40
		20 x 10.5						45		35 / 45	45	20	20 / 37	40
		22 x 9.5						45		35 / 45	45	20	35	45
		22 x 11.0						45		35 / 45	45	20	35	45
Revolve		19 x 8.5				35				35 / 45	35	40	20 / 37	45
		19 x 10.0								35 / 45	35	40	20 / 33	45
		20 x 8.5								35 / 45	35	20	20 / 33	45
		20 x 10.0								35 / 45	35	20	20 / 33	45
		22 x 9.0								35 / 45	35	20	20 / 33	45
		22 x 10.0								35 / 45	35	20	20 / 33	45

* The specs above are correct and fully up to date at the time of printing. INOVIT reserves the right to alter these specs at any time.

INOVIT



PRESTIGE



VALVE



Limited Warranty

INOVIT offers a lifetime warranty on the structure of its products, and 12 months warranty on the finish. If any INOVIT product becomes structurally deficient due to a manufacturing defect, INOVIT will replace or repair the wheel at its own expense. If any products' finish becomes deficient through a fault of the original finish, upon inspection, INOVIT will replace or repair the wheel at its own expense. If acid based or abrasive cleaners have been used on the product, this will VOID any warranty offered. INOVIT recommends using only mild soapy water to clean its products – regular cleaning reduces the risk of abrasive build-ups of brake-dust and other compounds which are naturally abrasive.

INOVIT insists that inspections of its goods are thoroughly carried out prior to mounting tires or attempting to fit to the vehicle. Any claims after having had tires fitted to the wheel will not be accepted. Once the distributor accepts delivery of the products, only the finish and the structure are covered by this warranty.

INOVIT does not offer any road hazard warranty. Any damages caused by debris on the road, pot-holes and such things will not be covered by this warranty.

INOVIT will not be liable for any shipping/transit costs to or from the customer to its' own premises and does not cover any consequential damages. This warranty covers the INOVIT product only and is limited to replacement or repair of the product.

All warranty claims must be returned to the INOVIT warehouse that it was purchased from for inspection. The claim must be returned by the distributor who purchased the items from INOVIT with a copy of the original invoice. INOVIT will not deal directly with customers of distributors or consumers. The distributor who is returning the wheels MUST obtain a returns number from a member of staff at the INOVIT warehouse before returning the products. INOVIT will not accept any unauthorised shipments and they will be refused upon presentation.

Upon completion of inspection, if there is found to be a manufacturing fault which led to the claim being made, INOVIT will notify the returning party and issue a credit note for the cost of the wheel, and the cost of the wheel only.

Stock Returns

Stock orders returned within 7 days of the original purchase/stocking date will be accepted after inspection of the goods without charge. If they are returned for credit after 7 days and before 6 months has elapsed from the original purchase/stocking date, there will be a re-stocking fee of 25% charged on the returned goods after inspection and the customer bears the cost of transportation to or from INOVIT. We do not accept stock returns after 6 months has passed from the original purchase/stocking date.

Display Wheels Return

If display wheels are provided to a distributor, it is the responsibility of that distributor to maintain the care of the wheel for the duration of its display, all the way through until the return of the wheel. The wheel must be in exactly the same condition as it was supplied; otherwise the distributor accepts the full purchase liability of the product.



weibo.com/inovit



twitter.com/inovitwheels



facebook.com/inovitwheels



[inovitwheels](https://www.instagram.com/inovitwheels)

Powered by Innovation

Australia | China | Holland | India | Italy | UK | USA